

SAFETY DATA SHEET

Creation Date 30-Jan-2015 Revision Date 18-Jan-2018 Revision Number 4

1. Identification

Product Name Sodium iodate

Cat No.: \$322-100

CAS-No 7681-55-2

Synonyms lodic acid, sodium salt.

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids
Category 2
Acute oral toxicity
Category 4
Serious Eye Damage/Eye Irritation
Category 2
Respiratory Sensitization
Category 1
Skin Sensitization
Category 1

Label Elements

Signal Word

Danger

Hazard Statements

May intensify fire; oxidizer Harmful if swallowed May cause an allergic skin reaction Causes serious eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Sodium iodate Revision Date 18-Jan-2018



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear protective gloves/protective clothing/eye protection/face protection

Inhalation

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium iodate	7681-55-2	>95

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Revision Date 18-Jan-2018 Sodium iodate

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **Suitable Extinguishing Media**

Unsuitable Extinguishing Media No information available

Flash Point No information available Method -No information available

Autoignition Temperature

Explosion Limits

No data available Upper Lower No data available

Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Hydrogen iodide Sodium oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	2	OX

Accidental release measures

Personal Precautions Environmental Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Should not be released into the environment.

Up

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

	7. Handling and storage
Handling	Wear personal protective equipment. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from clothing and other combustible materials.
_	

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near **Storage** combustible materials.

8. Exposure controls / personal protection

Revision Date 18-Jan-2018 Sodium iodate

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers **Engineering Measures**

are close to the workstation location. Ensure adequate ventilation, especially in confined

areas.

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection**

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Powder Solid **Physical State** White **Appearance** Odor Odorless

Odor Threshold No information available

5-8 5% aq.sol. 20°C pН 560 °C / 1040 °F **Melting Point/Range Boiling Point/Range** No information available Flash Point No information available

Evaporation Rate Not applicable

No information available Flammability (solid,gas)

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** negligible Not applicable Vapor Density

Specific Gravity 4.28

Solubility Soluble in water No data available

Partition coefficient; n-octanol/water **Autoignition Temperature**

Decomposition Temperature 560 °C **Viscosity** Not applicable I Na Ö3 Molecular Formula

Molecular Weight 197.89

10. Stability and reactivity

Reactive Hazard Yes

Oxidizer: Contact with combustible/organic material may cause fire. Stable under normal Stability

conditions.

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat. Combustible material.

Organic materials, Strong oxidizing agents, Sulfides, Peroxides, Metals, Reducing agents, **Incompatible Materials**

Powdered metals, Combustible material, Strong reducing agents

Sodium iodate Revision Date 18-Jan-2018

Hazardous Decomposition Products Hydrogen iodide, Sodium oxides

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Sodium iodate	505 mg/kg (Mouse)	Not listed	Not listed	

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes Irritation

Sensitization May cause sensitization by inhalation and skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component			NTP	ACGIH	OSHA	Mexico	
Sodium iodate	7681-55-2	Not listed					

No information available **Mutagenic Effects**

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium iodate Not listed		LC50: 220 mg/L/96h	Not listed	Not listed
		(Oncorhynchus mykiss)		

Soluble in water Persistence is unlikely based on information available. Persistence and Degradability

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow

Sodium iodate Revision Date 18-Jan-2018

Sodium iodate	-7.18

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1479

Proper Shipping Name OXIDIZING SOLID, N.O.S.

Hazard Class 5.1 Packing Group II

<u>TDG</u>

UN-No UN1479

Proper Shipping Name OXIDIZING SOLID, N.O.S.

Hazard Class 5.1 Packing Group II

IATA

UN-No UN1479

Proper Shipping Name OXIDIZING SOLID, N.O.S.*

Hazard Class 5.1 Packing Group II

IMDG/IMO

UN-No UN1479

Proper Shipping Name OXIDIZING SOLID, N.O.S.

Hazard Class 5.1 Packing Group II

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium iodate	Х	Χ	-	231-672-5	-		Χ	Χ	Χ	Х	Χ

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

Sodium iodate Revision Date 18-Jan-2018

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 30-Jan-2015

 Revision Date
 18-Jan-2018

 Print Date
 18-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS