# SAFETY DATA SHEET Rub n Buff, AUTUMN GOLD

## 1. Identification

# Product identifier

Product name Rub n Buff, AUTUMN GOLD

Product number Rub n Buff, AUTUMN GOLD

## Recommended use of the chemical and restrictions on use

**Application** metallic wax

# Details of the supplier of the safety data sheet

**Supplier** American Art Clay Co Inc

6060 Guion Road Indianapolis, IN 46254-1222

USA

Toll Free: 1-800-925-5195 ext. 1303 Local: 1-317-243-0066 ext. 1303

# **Emergency telephone number**

**Emergency telephone** 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

# 2. Hazard(s) identification

## Classification of the substance or mixture

Physical hazards Flam. Sol. 1 - H228

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Resp. Sens. 1 - H334 STOT SE 3 - H335 STOT RE 2 -

H373

Environmental hazards Not Classified

## Label elements

# Pictogram







# Signal word

# Danger

Hazard statements

H228 Flammable solid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

## Precautionary statements

P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P240 Ground/ bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P260 Do not breathe vapor/ spray.

P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/ doctor if you feel unwell. P314 Get medical advice/ attention if you feel unwell.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P342+P311 If experiencing respiratory symptoms: Call a poison center/ doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

# Supplemental label information

WARNING:FLAMMABLE. MAY BE HARMFUL IF SWALLOWED. VAPOR HARMFUL.

Contains: COPPER, PETROLEUM DISTILLATES

PRECAUTIONS: Avoid ingestion. Wash hands immediately after use. When using do not eat,

drink or smoke. Do not store

or use near heat or flame. Use only with adequate ventilation. KEEP OUT OF REACH OF

CHILDREN.

FIRST AID TREATMENT: If inhalation symptoms occur, move to fresh air. If symptoms persist,

see a physician. If

swallowed, get prompt medical attention. For further information, contact a national poison

control number; 800-222-

1222.

#### Contains

s69 solvent, V391 varnish

# Other hazards

none present.

# 3. Composition/information on ingredients

#### **Mixtures**

s69 solvent 10-30%

CAS number: —

#### Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 STOT SE 3 - H335

V391 varnish 10-30%

CAS number: —

#### Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Resp. Sens. 1 - H334 STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all

ingredients are exempt.

## 4. First-aid measures

#### Description of first aid measures

**Inhalation** Move affected person to fresh air at once.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water

or milk to drink. Get medical attention if any discomfort continues.

**Skin Contact** Wash skin thoroughly with soap and water.

**Eye contact** Rinse with water.

#### Most important symptoms and effects, both acute and delayed

**Inhalation** Read Section 2 for any specific precautions associated with this product. In general, breathing

any type of dust/mist can and may aggravate irritation of the throat and lungs.

**Ingestion** Read Section 2 for any specific precautions associated with the use of this product. Products

with specific warnings about ingestion will give guidance there.

**Skin contact** Prolonged skin contact may cause redness and irritation.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general

most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do

not rub.

## Indication of immediate medical attention and special treatment needed

# 5. Fire-fighting measures

#### Extinguishing media

# Special hazards arising from the substance or mixture

**Specific hazards** The product increases the risk of fire and may accelerate combustion.

Advice for firefighters

Special protective equipment

Use protective equipment appropriate for surrounding materials.

for firefighters

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8.

**Environmental precautions** 

**Environmental precautions** Avoid spreading dust or contaminated materials.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

**Reference to other sections** For waste disposal, see Section 13. For personal protection, see Section 8.

## 7. Handling and storage

# Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal

hygiene procedures should be implemented.

#### Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

#### 8. Exposure Controls/personal protection

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all

ingredients are exempt.

## **Exposure controls**

#### Protective equipment





Appropriate engineering

controls

No specific ventilations requirements unless the "FAN" pictogram is shown above or specified

in Section 2. Provide adequate general and local exhaust ventilation.

**Eye/face protection** Wear eye protection.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown

above or specified in Section 2.

**Hygiene measures** When using do not eat, drink or smoke.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

# 9. Physical and Chemical Properties

# Information on basic physical and chemical properties

Appearance Colored paste.

Color Various colors.

Odor Petroleum.

Odor threshold No information available.

**pH** 6-8

Melting point No information available.

Revision date: 12/7/2017 Revision: 6 Supersedes date: 12/8/2016

# Rub n Buff, AUTUMN GOLD

Initial boiling point and range No information available.

Flash point > 29°C/84°F Pensky-Martens closed cup.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

No information available.

Vapor pressure No information available.

Relative density Greater than 1.0

Solubility(ies) Not applicable.

Partition coefficient No information available.

**Auto-ignition temperature** Not applicable.

**Decomposition Temperature** No information available.

**Viscosity** No information available.

Explosive properties none

Oxidizing properties none

Other information Not applicable.

# 10. Stability and reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition

products

None known.

# 11. Toxicological information

## Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and

precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

**Skin sensitization** Based on available data the classification criteria are not met.

**Eye contact** May cause temporary eye irritation.

# 12. Ecological Information

Revision date: 12/7/2017 Revision: 6 Supersedes date: 12/8/2016

# Rub n Buff, AUTUMN GOLD

**Ecotoxicity** Not regarded as dangerous for the environment.

**Toxicity** Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are

listed in Section 2, please use appropriate procedures when disposing of product and

container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

**Biodegradation** Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

**Mobility** Semi-mobile.

Other adverse effects

Other adverse effects None known.

## 13. Disposal considerations

# Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

#### 14. Transport information

General This package is shipped in accordance with ADR SP375, IATA A197 & IMDG 2.10.2.7. As

supplied, this product is consigned under the Excepted Quantities provisions. For quantities

shipped less than 30ml inner pack, total pack of 500ml

**UN Number** 

UN No. (TDG) 1325

**UN No. (IMDG)** 1325

**UN No. (ICAO)** 1325

**UN No. (DOT)** 1325

UN proper shipping name

Proper shipping name (TDG) FLAMMABLE SOLID, ORGANIC, N.O.S., contains (Solvent Naphtha, Hydro treated Light

Petroleum Distillates).

Proper shipping name (IMDG) FLAMMABLE SOLID, ORGANIC, N.O.S., contains (Solvent Naphtha, Hydro treated Light

Petroleum Distillates).

Proper shipping name (ICAO) FLAMMABLE SOLID, ORGANIC, N.O.S., contains (Solvent Naphtha, Hydro treated Light

Petroleum Distillates)

Proper shipping name (DOT) FLAMMABLE SOLID, ORGANIC, N.O.S., contains (Solvent Naphtha, Hydro treated Light

Petroleum Distillates).

Transport hazard class(es)

TDG class 4.1

TDG label(s) 4.1

IMDG Class 4.1

ICAO class/division 4.1

#### Transport labels



# Packing group

TDG Packing Group

IMDG packing group

ICAO packing group

II

DOT packing group

II

## **Environmental hazards**

**Environmentally Hazardous Substance** 

No.

## Special precautions for user

**EmS** F-A, S-G

## 15. Regulatory information

## **US State Regulations**

# California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

# Inventories

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

## US - TSCA

All the ingredients are listed or exempt.

## US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

## 16. Other information

General information The following are the top 5 materials by weight listed for New Jersey (if applicable):- Oil

Varnish, Petroleum Distillatre , Carnauba Wax8015-86-9, Kaolin Clay1332-58-7, Various

**Pigments** 

Revision date 12/7/2017

Revision 6

Supersedes date 12/8/2016

**SDS No.** 5512

Hazard statements in full H226 Flammable liquid and vapor.

H228 Flammable solid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.